

CABLE PULLING EQUIPMENT

REUSABLE PULLING EYES

This variety of pulling eye is manually installed on the cable by removing the outer sheath and securing the eye to the conductors. These are substantially stronger than the crimp on varieties and are especially suited to large heavy cables.



RPE-1015	suits single conductor core up to 14mm Ø
RPE-1520	suits single conductor core up to 19mm Ø
RPE-2025	suits single conductor core up to 24mm Ø
RPE-2530	suits single conductor core up to 29mm Ø
RPE-3035	suits single conductor core up to 34mm Ø
RPE-3540	suits single conductor core up to 39mm Ø
RPE-4045	suits single conductor core up to 44mm Ø
RPE-4550	suits single conductor core up to 49mm Ø
RPE-5055	suits single conductor core up to 54mm Ø

These eyes can also be used with data cable. Please ask your supplier for different wedges. Other sizes can also be manufactured so please ask if they are required.

PULLING EYES AND ANCILLARY EQUIPMENT



GVK offers a full range of pulling eyes to suit any type of cable. The eyes shown are for poly sheathed telephone cable or three phase power cable. Others types are for paper sheathed / poly cable, fibre optic cable, submarine cable, unsheathed conductors for HV and for pulling conduit.

Please call GVK to get the right pulling eye for your application!!!!

FOR MORE INFORMATION ON SELECTION OF THE CORRECT PULLING EYE & PRODUCT NUMBERS SEE PAGES 24 THRU 28 OF THIS CATALOGUE

CRIMPING HEAD AND DIE BLOCK WITH CRIMPING CABLE



Crimping methodology uses the wire rope to swage the sleeve onto the cable by grasping the conductors against an inner serrated spike. In this instance the pulling force is transferred onto the conductors rather than the outer sheath. The Ø of the eye is usually smaller than the Ø of the cable.

The die sizes range (to suit) from 25mm sleeves through to 150mm sleeves. An electric or manually operated hydraulic pump provides the required force to operate the crimping head.

CRIMPER DIES

CD-25 through to **CD-125**
Die sizes increase in 10mm increments to suit from 25mm OD hauling eyes to 125mm hauling eyes.

CRIMPER ROPE

CR-5540	5mm X 540 suits 26-29mm hauling eye
CR-6580	6mm X 580 suits 32-38mm hauling eye
CR-8580	8mm X 580 suits 42-51mm hauling eye
CR-8740	8mm X 740 suits 54-57mm hauling eye
CR-10740	10mm X 740 suits 60-80mm hauling eye
CR-10780	10mm X 780 suits 83-89mm hauling eye
CR-10840	10mm X 840 suits 92-101mm hauling eye
CR-10900	10mm X 900 suits 104-107mm hauling eye
CR-10106	10mm X 1060 suits 110-120mm hauling

CRIMPING ACCESSORIES

CDB-140	Cylinder block for retaining Rope	MFC-30	M & F snap lock couplings
CRR-740	Crimper rope retaining ring	CHP-32	Hydraulic hand operated pimp P32
CDC-150	Hydraulic Cylinder R106	CPG-033	Pressure gauge with adaptor
CFH-30M	3 metre flexible hose	CTB-345	Steel tool box