



1. FIXING RANGE



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

2H4	2-3	N/A	100	0.008
4H24	3-8	N/A	100	0.012
4H58	8-14	N/A	100	0.014
4H912	14-20	N/A	100	0.016



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**


6TA4	2-3	11	100	0.022
6TA24	3-8	11	100	0.028
6TA58	8-14	11	100	0.030
6TA912	14-20	11	100	0.031
6TI4	2-3	3/8i	100	0.022
6TI24	3-8	3/8i	100	0.028
6TI58	8-14	3/8i	100	0.030
6TI912	14-20	3/8i	100	0.031
M6TI4	2-3	M6	100	0.022
M6TI24	3-8	M6	100	0.028
M6TI58	8-14	M6	100	0.030
M6TI912	14-20	M6	100	0.031
M8TI4	2-3	M8	100	0.022
M8TI24	3-8	M8	100	0.028
M8TI58	8-14	M8	100	0.030
M8TI912	14-20	M8	100	0.031
M10TI4	2-3	M10	100	0.022
M10TI24	3-8	M10	100	0.028
M10TI58	8-14	M10	100	0.030
M10TI912	14-20	M10	100	0.030



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

2H4-ST3	2-3	N/A	100	0.017
4H24-ST3	3-8	N/A	100	0.023
4H58-ST3	8-14	N/A	100	0.025
4H912-ST3	14-20	N/A	100	0.027





Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

2H4CT	2-3	N/A	100	0.014
4H24CT	3-8	N/A	100	0.020
4H58CT	8-14	N/A	100	0.022
4H912CT	14-20	N/A	100	0.025


1. FIXING RANGE




Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	---	-----------

CORROSION PROTECTION - **4**

812M4SM	2-3	18-30	100	0.024
812M24SM	3-8	18-30	100	0.029
812M58SM	8-14	18-30	100	0.031
812M912SM	14-20	18-30	100	0.032
16M4SM	2-3	30-35	100	0.025
16M24SM	3-8	30-35	100	0.031
16M58SM	8-14	30-35	100	0.033
16M912SM	14-20	30-35	100	0.035
20M4SM	2-3	35-42	100	0.028
20M24SM	3-8	35-42	100	0.036
20M58SM	8-14	35-42	100	0.037
20M912SM	14-20	35-42	100	0.039
24M4SM	2-3	42-50	100	0.033
24M24SM	3-8	42-50	100	0.038
24M58SM	8-14	42-50	100	0.040
24M912SM	14-20	42-50	100	0.041
32M4SM	2-3	50-60	100	0.035
32M24SM	3-8	50-60	100	0.040
32M58SM	8-14	50-60	100	0.043
32M912SM	14-20	50-60	100	0.040




Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	---	-----------

CORROSION PROTECTION - **4**


M24	3-8	N/A	100	0.026
M58	8-14	N/A	100	0.030
M912	14-20	N/A	100	0.036




Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	---	-----------

CORROSION PROTECTION - **4**

M24S	3-8	M6	100	0.028
M58S	8-14	M6	100	0.032
M912S	14-20	M6	100	0.038




Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	---	-----------

CORROSION PROTECTION - **4**

812M24	3-8	18-30	100	0.038
812M58	8-14	18-30	100	0.042
812M912	14-20	18-30	100	0.048
16M24	3-8	30-35	100	0.038
16M58	8-14	30-35	100	0.042
16M912	14-20	30-35	100	0.050
20M24	3-8	35-42	100	0.045
20M58	8-14	35-42	100	0.048
20M912	14-20	35-42	100	0.055
24M24	3-8	42-50	100	0.046
24M58	8-14	42-50	100	0.051
24M912	14-20	42-50	100	0.056
32M24	3-8	50-60	100	0.051
32M58	8-14	50-60	100	0.056
32M912	14-20	50-60	100	0.061




1. FIXING RANGE



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **1**

187510	24SC67	1-4	6-7	100	0.004
187710	24SC78	1-4	7-8	100	0.004
187530	24SC89	1-4	8-9	100	0.004
187750	24SC910	1-4	9-10	100	0.004
187550	24SC1011	1-4	10-11	100	0.004
187570	24SC1214	1-4	12-14	100	0.005
187590	24SC1518	1-4	15-18	100	0.005
187610	24SC1924	1-4	19-24	100	0.006
187630	24SC2530	1-4	25-30	100	0.007
187500	47SC67	4-7	6-7	100	0.004
187720	47SC78	4-7	7-8	100	0.004
187520	47SC89	4-7	8-9	100	0.004
187760	47SC910	4-7	9-10	100	0.004
187540	47SC1011	4-7	10-11	100	0.005
187560	47SC1214	4-7	12-14	100	0.005
187580	47SC1518	4-7	15-18	100	0.006
187600	47SC1924	4-7	19-24	100	0.007
187620	47SC2530	4-7	25-30	100	0.008
187640	812SC67	8-12	6-7	100	0.005
187730	812SC78	8-12	7-8	100	0.005
187650	812SC89	8-12	8-9	100	0.005
187770	812SC910	8-12	9-10	100	0.005
187660	812SC1011	8-12	10-11	100	0.005
187670	812SC1214	8-12	12-14	100	0.006
187680	812SC1518	8-12	15-18	100	0.006
187690	812SC1924	8-12	19-24	100	0.007
187700	812SC2530	8-12	25-30	100	0.009



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **4**


160510	SCA	13-20	2-4	100	0.017
188080	SCB312	3-12	2-4	100	0.027
188090	SCB1220	12-20	2-4	100	0.028



Part #/Description	Ø mm	B mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**


BC	</= 16	10.5/M6	100	0.023
----	--------	---------	-----	-------



Part #/Description	Ø mm	B mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

BC812MSM	</= 16	18-30	100	0.039
BC16MSM	</= 16	30-35	100	0.042
BC20MSM	</= 16	35-42	100	0.044
BC24MSM	</= 16	42-50	100	0.048
BC32MSM	</= 16	50-60	100	0.050



Part #/Description	Ø mm	B mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

BC812M	</= 16	18-30	100	0.039
BC16M	</= 16	30-35	100	0.042
BC20M	</= 16	35-42	100	0.044
BC24M	</= 16	42-50	100	0.048
BC32M	</= 16	50-60	100	0.050

1. FIXING RANGE



EBC-P CLIP

Part #/Description	A mm	Ø mm		Weight kg
CORROSION PROTECTION - 4				
BC8P	</= 16	18-22	100	0.036
BC12P	</= 16	22-30	100	0.038
BC16P	</= 16	30-35	100	0.041




EBC-PSM CLIP

Part #/Description	Ø mm	B mm		Weight kg
CORROSION PROTECTION - 4				
BC8PSM	</= 16	18-22	100	0.036
BC12PSM	</= 16	22-30	100	0.038
BC16PSM	</= 16	30-35	100	0.041




CR CLIPS Z/P

Part #/Description	A mm	Ø mm		Weight kg
CORROSION PROTECTION - 1				
C17-1	</= 17	M6 X 25	100	0.080
C25-1	</= 25	M6 X 25	100	0.089



C-CLAMPS HDG

Part #/Description	A mm	Ø mm		Weight kg
CORROSION PROTECTION - 3				
C20-3	</= 20	M6 X 25	100	0.098
C30-3	20-30	M8 X 30	50	0.140
C45-3	30-45	M8 X 30	50	0.200



SM/SPP HDG

Part #	Description	A mm	Ø mm		Weight kg
CORROSION PROTECTION - 3					
336160	SM6	M6	N/A	100	0.032
336170	SM8	M8	N/A	100	0.036
336200	SPP6	6	N/A	100	0.004
336210	SPP8	8	N/A	100	0.004




C-CLAMPS Z/P

Part #/Description	A mm	Ø mm		Weight kg
CORROSION PROTECTION - 1				
CR17-1	16-20	N/A	100	0.017
CR21-1	20.4-25	N/A	100	0.020
CR28-1	26.9-31.8	N/A	100	0.024
CR37-1	33.7-38	N/A	100	0.036
CR42-1	40-44.5	N/A	100	0.046
CR48-1	47-51	N/A	100	0.056



1. FIXING RANGE



Part #/Description	Ø mm	B mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **3**

CR17-3	16-20	N/A	200	0.017
CR21-3	20.4-25	N/A	100	0.020
CR28-3	26.9-31.8	N/A	50	0.024
CR37-3	33.7-38	N/A	50	0.036
CR42-3	40-44.5	N/A	50	0.046
CR48-3	47-51	N/A	50	0.056
CR60-3	59.2-63.5	N/A	25	0.068



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **1**

389500	TKN8	18	9	100	0.088
389510	TKN10	20	11	100	0.150
389520	TKN12	26	13	80	0.170



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **1**


3100037EG	32	11	100	0.17
310M0037EG	32	M10	100	0.17
310M0050EG	32	M12	50	0.30



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **1 3**

336040	HB2-3 (HDG)	<=24	N/A	50	0.325
HB2	HB2 (ZP)	<=24	N/A	50	0.300



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **1**

160820	BTF24	3-8	1500	10	1.58
160830	BTF58	8-14	1500	10	1.59
160840	BTF912	14-20	1500	10	1.61



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

VAFT	N/A	N/A	1	0.418
VF14	1.5-6	N/A	100	0.020
VF146T	1.5-6	11	100	0.040
VF146TI	1.5-6	3/8i	100	0.030
VF14M6TI	1.5-6	M6	100	0.030
VF14M8TI	1.5-6	M8	100	0.040
VF14M10TI	1.5-6	M10	100	0.044


1. FIXING RANGE



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**


122	<=2.8	N/A	100	0.01
123	<=2.8	N/A	100	0.01



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **4**


175590	PW2			100	0.02
--------	-----	--	--	-----	------



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**


1224MA	<=2.8	4	100	0.022
1225MA	<=2.8	5	100	0.022



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **4**


175600	PW2M6TI		M6	100	0.035
175610	PW2M8TI		M8	100	0.035
175620	PW2M10TI		M10	100	0.035
175630	PW26T		11	100	0.035



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**


1226T	<=2.8	11	100	0.024
1226T1	<=2.8	3/8i	100	0.025
122M6TI	<=2.8	M6	100	0.025
122M8TI	<=2.8	M8	100	0.030
122M10TI	<=2.8	M10	100	0.024



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

APC	1.5-4	N/A	100	0.009
-----	-------	-----	-----	-------




Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

APCCT	1.5-4	N/A	100	0.025
-------	-------	-----	-----	-------




1. FIXING RANGE



Part #/Description	A mm	\varnothing mm		Weight kg
--------------------	------	------------------	--	-----------

CORROSION PROTECTION - **3**

D1M8	<=4	9	100	0.105
D1M10	<=4	11	100	0.105
D1M12	<=4	13	100	0.105



Part #/Description	A mm	\varnothing mm		Weight kg
--------------------	------	------------------	--	-----------

CORROSION PROTECTION - **1**

PHSW10M		M6	100	0.142
----------------	--	-----------	------------	--------------



Part #/Description	A mm	\varnothing mm		Weight kg
--------------------	------	------------------	--	-----------

CORROSION PROTECTION - **1**


E28	<=4	M8	100	0.053
E210	<=4	M10	100	0.053
E212	<=4	M12	100	0.063
E23/8	<=4	3/8i	100	0.060



Part #/Description	A mm	\varnothing mm		Weight kg
--------------------	------	------------------	--	-----------

CORROSION PROTECTION - **1**


CMP10	N/A	M10	100	0.043
CMP12	N/A	M12	100	0.044



Part #	Description	A mm	\varnothing mm		Weight kg
--------	-------------	------	------------------	--	-----------

CORROSION PROTECTION - **1**

386800	UPC		M10	50	0.28
---------------	------------	--	------------	-----------	-------------




Part #/Description	A mm	\varnothing mm		Weight kg
--------------------	------	------------------	--	-----------

CORROSION PROTECTION - **1**

VMP10	N/A	M10	100	0.043
VMP12	N/A	M12	100	0.070


1. FIXING RANGE



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **1**

HW6		M6	100	0.022
HW8		M8	100	0.020
HW10		M10	100	0.018
HW3/8		3/8i	100	0.018



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------


MSP20	METAL STUD PUNCH	34	1	1	3.18
-------	------------------	----	---	---	------



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **4**


160320	M6GTD12-17		M6	100	0.026
160330	M8GTD12-17		M8	100	0.026
160340	M10GTD12-17		M10	100	0.027
160350	M6GTD17-22		M6	100	0.026
160360	M8GTD17-22		M8	100	0.026
160370	M10GTD17-22		M10	100	0.027
160380	10GTD12-17		11	100	0.025
160390	10GTD17-22		11	100	0.026



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **4**

176710	4G16M16 C/W 6WN	1.5x24-26	M6x16	100	0.02
--------	-----------------	-----------	-------	-----	------



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------


CORROSION PROTECTION - **4**

4G16H	1.5	24-26	100	0.011
-------	-----	-------	-----	-------



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

ESGP	ANTI RATTLE GROMMET	34	100	1	0.004
------	---------------------	----	-----	---	-------




Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

4Z34	M4-M8	6.5	100	0.01
6Z34	M8-M12	6.5	100	0.01




1. FIXING RANGE



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

ATA41		M6	100	0.026
ATS-41		M6	100	0.026



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**


K8	14-18	4-6.5	100	0.013
K12	19-25	4-6.5	100	0.015
K16	25-32	4-6.5	100	0.016
K20	34-44	4-6.5	100	0.020



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**


172960	6Z34CTS	M8-M12	100	0.041
---------------	----------------	---------------	------------	--------------



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **3**

AB	3 x 20 ANGLE	7	7	100	0.017
AB77	3 x 25 ANGLE	7	7	100	0.040
AB97	3 x 25 ANGLE	7	9	100	0.038
AB711	3 x 25 ANGLE	7	11	100	0.036
AB1111	3 x 25 ANGLE	11	11	100	0.032
ZWA200	6 X 40 ANGLE	14	14	100	0.146



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **4**

AO	3 x 20 OFFSET	7	7	100	0.02
-----------	----------------------	----------	----------	------------	-------------



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **4**

M6TI		M6	100	0.012
M8TI		M8	100	0.012
M10TI		M10	100	0.012
6T		11	100	0.012
6T1		3/8i	100	0.012

1. FIXING RANGE



B-Ti/T CLIPS

Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

M6TIB		M6	100	0.033
M8TIB		M8	100	0.032
M10TIB		M10	100	0.031
6TB		11	100	0.031




M-CLIPS

Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

812M		18-30	100	0.014
16M		30-35	100	0.016
20M		35-42	100	0.020
24M		42-50	100	0.022
32M		50-60	00	0.025



O-Ti/T CLIPS

Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **4**

M6TIO	M6		100	0.033
M8TIO	M8		100	0.032
M10TIO	M10		100	0.031
6TO	11		100	0.032




CD-B CLIPS

Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **1**

CDO-B	7	17-22	100	0.028
CD1-B	7	19-25	100	0.032
CD2-B	7	25-33	100	0.040
CD3-B	7	36-43	100	0.055
CD4-B	7	40-47	50	0.067
CD5-B	7	50-60	50	0.080



CLEVIS

Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **3**

ERIC-8	3 X 25	9	100	0.08
ERIC-10	5 X 25	11	100	0.13
ERIC-12	6 X 40	13	100	0.28



ISN NUT

Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------


CORROSION PROTECTION - **1**

187340	ISN M6		M6	50	0.013
187350	ISN M8		M8	50	0.012
187360	ISN M10		M12	50	0.011



1. FIXING RANGE

2. CADDY® SPEED LINK



Part #/Description	A mm	Ø mm		Weight kg
--------------------	------	------	--	-----------

CORROSION PROTECTION - **1**


W-CUP-GAL	7	215 X 50	50	0.27
-----------	---	----------	----	------



Part #	Description	Size		Weight kg
--------	-------------	------	--	-----------

CORROSION PROTECTION - **1**

195800	CADDY SPEED LINK SL2/1	2mm X 1m	100	0.091
195805	CADDY SPEED LINK SL2/2	2mm X 2m	100	0.106
195810	CADDY SPEED LINK SL2/3	2mm X 3m	100	0.121
195815	CADDY SPEED LINK SL2/5	2mm X 5m	50	0.151
195820	CADDY SPEED LINK SL2/10	2mm X 10m	25	0.226
195825	CADDY SPEED LINK SL3/1	3mm X 1m	100	0.110
195830	CADDY SPEED LINK SL3/2	3mm X 2m	100	0.144
195835	CADDY SPEED LINK SL3/3	3mm X 3m	100	0.178
195840	CADDY SPEED LINK SL3/5	3mm X 5m	50	0.246
195845	CADDY SPEED LINK SL3/10	3mm X 10m	25	0.416
195851	CADDY SPEED LINK AIR DUCT CORNER		10	N/A
195852	CADDY SPEED LINK VENTILATION BRKT		100	
195853	CADDY SPEED LINK WIRE CUTTERS		1	
195854	EYEBOLT M6 X 30		100	
195856	EYEBOLT M8 X 40		100	
195859	CADDY SPEED LINK RUBBER TUBE		25mtr	
195860	CADDY SPEED LINK CABLE CLIP 12-14mm		100	
195861	CADDY SPEED LINK CABLE CLIP 16-18mm		100	
195863	CADDY SPEED LINK LIGHTING CLIP 200		100	



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **4**

170880	PCS1	2-4	11-14	100	0.024
--------	------	-----	-------	-----	-------



Part #	Description	A mm	Ø mm		Weight kg
--------	-------------	------	------	--	-----------

CORROSION PROTECTION - **1**

172910	BR50		50	100	0.034
172920	GR50	M6	50	100	0.102
172921	PTMB6	M6		100	0.080

