

CONTENTS



APPLICATION TOOLING

SECTION 8

SECTION 8	APPLICATION TOOLING	.63
	ERGONOMIC DESIGN HAND CRIMP TOOLS	.64
	ECONOMY RANGE CRIMP TOOLS	.66
	PROFESSIONAL RANGE CRIMP TOOLS	.68
	HEAVY DUTY HAND OPERATED	
	HYDRAULIC CRIMP TOOLS	.70
	HEAVY DUTY BATTERY OPERATED	
	HYDRAULIC CRIMP TOOLS	.72
	ACCESSORIES FOR BATTERY	
	POWERED TOOLS	.74
	HEAVY DUTY HYDRAULIC CRIMPING HEADS	.75
	HEAVY DUTY HYDRAULIC CRIMPING HEADS	.76
	HEAVY DUTY HYDRAULIC CRIMPING HEADS	.77
	HYDRAULIC PUMPS AND CONTROLLERS	.78
	CABLE CUTTERS	.80
	BATTERY OPERATED CABLE CUTTERS	.81
	HYDRAULIC CABLE CUTTERS	.82
	DATA PRODUCTS TOOLS	.84
	CABLE STRIPPERS	.85
	CRIMPING DIES	.86
	12 TONNE DIES	.87
	HEXAGONAL CRIMP DIES – COPPER	.87
	HEXAGONAL CRIMP DIES – ALUMINIUM	.87
	INDENT CRIMP DIES – SECTOR ALUMINIUM	.87
	HEXAGONAL CRIMP DIES – HALF HEX (FOR FLEXIBLE CABLES)	.88
	HEXAGONAL CRIMP DIES –	
	C CONNECTORS	.88
	HEXAGONAL CRIMP DIES – STEEL CORES OF ACSR CONDUCTOR	.88
	HEXAGONAL CRIMP DIES –	
	INSULATED ABC CONNECTORS	.88
	DIES FOR 5 TONNE TOOL	.89
	DIES FOR 18 TONNE TOOL	.89
	DIES FOR 40 TONNE TOOL	.89
	DIES FOR 40 TONNE TOOL	.90
	HEXAGONAL CRIMP DIES - HALF HEX (FOR FLEXIBLE CABLES)	.90
	#TY SERIES CRIMPING TOOL	.90
	#TR SERIES CRIMPING TOOL	.90

CATALOGUE INDEX

INDEX

ERGONOMIC DESIGN HAND CRIMP TOOLS

The world's first truly user friendly crimp tool range, with careful 'ergonomical' consideration given to the shape, weight and balance whilst maintaining optimum mechanical advantage. Designed to minimise RSI and associated workplace injuries, these award winning tools provide precise and dependable crimps, without undue discomfort and strain to the user.



CAT NO.	DESCRIPTION
#120	Ergonomic design ratchet crimp tool for red, blue and yellow preinsulated terminals. RANGE..... Red, blue and yellow, 0.75 to 6.0mm ² CRIMP TYPE Oval LENGTH..... 255mm WEIGHT 550g



CAT NO.	DESCRIPTION
#121	Ergonomic design ratchet crimp tool for boot lace terminals. Terminals load from the side. RANGE..... 10 to 25mm ² CRIMP TYPE D shape LENGTH..... 255mm WEIGHT 550g



CAT NO.	DESCRIPTION
#122	Ergonomic design ratchet crimp tool for boot lace terminals. Terminals load from the side. RANGE..... 35 to 50mm ² CRIMP TYPE D shape LENGTH..... 255mm WEIGHT 550g



CAT NO.	DESCRIPTION
#124	Ergonomic design ratchet crimp tool for uninsulated terminals. RANGE..... 4 to 10mm ² CRIMP TYPE Indent LENGTH..... 255mm WEIGHT 550g



CAT NO.	DESCRIPTION
#125	Ergonomic design ratchet crimp tool for boot lace terminals. Terminals load from the front of the tool. RANGE..... 0.5 to 6.0mm ² CRIMP TYPE D shape LENGTH..... 255mm WEIGHT 550g



CAT NO.	DESCRIPTION
#126	Ergonomic design ratchet crimp tool for boot lace terminals. Terminals load from the side. RANGE..... 4 to 10mm ² CRIMP TYPE D shape LENGTH..... 255mm WEIGHT 550g

ALTERNATE AND REPLACEMENT JAWS AVAILABLE UPON REQUEST



ECONOMY RANGE CRIMP TOOLS

A range of high quality, but economically priced hand crimp tools ideal for the occasional professional user or serious hobbyist. These easy to use precision engineered tools produce a first class job and offer the user great value for money.



CAT NO.	DESCRIPTION
#76B	<p>Non ratchet pliers for pre-insulated and uninsulated terminals. Includes wire cutting and stripping positions.</p> <p>RANGE..... 0.5mm² to 4.0mm²</p> <p>CRIMP TYPE Pre-insulated – Oval; Uninsulated – Indent</p> <p>LENGTH..... 203mm</p> <p>WEIGHT 250g</p>



CAT NO.	DESCRIPTION
#61	<p>Non ratchet pliers for open barrel, roll in crimp type terminals such as H1972. Features a built in wire stripper and cutter.</p> <p>RANGE..... 0.75mm² to 2.1mm²</p> <p>CRIMP TYPE Roll-in for open barrel terminals</p> <p>LENGTH..... 210mm</p> <p>WEIGHT 230g</p>




CAT NO.	DESCRIPTION
#147A	<p>Non ratchet pliers for micro and flag QC open barrel terminals. Features a built in wire stripper and cutter.</p> <p>CRIMP TYPE Roll-in for open barrel terminals</p> <p>LENGTH..... 210mm</p> <p>WEIGHT 230g</p>



CAT NO.	DESCRIPTION
#00	<p>General purpose pliers for uninsulated copper lugs and links. Simple and robust. A must for every tradesman.</p> <p>RANGE..... 0.5mm² to 10.0mm²</p> <p>CRIMP TYPE Indent</p> <p>LENGTH..... 254mm</p> <p>WEIGHT 450g</p>



CAT NO.	DESCRIPTION
#102	<p>Ratchet type tool for pre-insulated and supergrip terminals. The ratchet ensures a complete crimp every time. A must have tool for every tradesman.</p> <p>RANGE..... Red, Blue and Yellow pre-insulated (0.5 to 5.5mm²)</p> <p>CRIMP TYPE Oval on conductor/Diamond on insulation</p> <p>LENGTH..... 230mm</p> <p>WEIGHT 550g</p>



CAT NO.	DESCRIPTION
#102M	Ratchet type tool for miniature yellow type pre-insulated terminals (eg. H4200) RANGE..... 0.2mm ² to 0.5mm ² CRIMP TYPE Oval LENGTH..... 230mm WEIGHT 230g



CAT NO.	DESCRIPTION
#102U	Ratchet type tool for uninsulated terminals. The ratchet ensures a complete crimp every time. A must have tool for every tradesman. RANGE..... 0.5 to 8.0mm ² CRIMP TYPE Indent LENGTH..... 230mm WEIGHT 550g



CAT NO.	DESCRIPTION
#112	Ratchet type tool for boot lace terminals. The ratchet ensures a complete crimp every time. A must have tool for every tradesman. RANGE..... 0.5mm ² to 10mm ² CRIMP TYPE U LENGTH..... 230mm WEIGHT 550g

JAW NO.	CABLE (mm ²)
1	0.5 to 0.75
2	1.0
3	1.5
4	2.5
5	4 to 6
6	10



CAT NO.	DESCRIPTION
#11C	Ratchet type tool for RED (0.5 to 1.5mm ²) pre-insulated terminals only, with terminal locator. Ideal for OEM and production applications. Red handles match terminal colour, and identify which terminals can be crimped. CRIMP TYPE Oval on conductor/Diamond on insulation LENGTH..... 265mm WEIGHT 540g



CAT NO.	DESCRIPTION
#12C	Ratchet type tool for BLUE (1.5 to 2.5mm ²) pre-insulated terminals only, with terminal locator. Ideal for OEM and production applications. Blue handles match terminal colour, and identify which terminals can be crimped. CRIMP TYPE Oval on conductor/Diamond on insulation LENGTH..... 265mm WEIGHT 540g




CAT NO.	DESCRIPTION
#13B	Ratchet type tool for YELLOW (2.5 to 6.0mm ²) pre-insulated terminals only, with terminal locator. Ideal for OEM and production applications. Yellow handles match terminal colour, and identifies which terminals can be crimped. CRIMP TYPE Oval on conductor/Diamond on insulation LENGTH..... 330mm WEIGHT 970g

PROFESSIONAL RANGE CRIMP TOOLS

Built to last, these tools are ideal for the professional or specialist. The precision crafted mechanisms and uncompromised material quality of these tools will ensure years of trouble free operation, and results you can depend on.


CAT NO.	DESCRIPTION
#63	Bench mounted air operated crimp tool with interchangeable crimp jaws for a range of applications. Includes foot operated controller and pneumatic hoses. Five interchangeable crimp jaws. RANGE..... Up to 6mm ² terminals CRIMP TYPE Depends on jaws selected INPUT..... 490kPa air OUTPUT..... 1.3 tons WEIGHT 2kg
Interchangeable Jaws for #63 bench mounted crimper	#4BJAWS/1..... For RED pre-insulated terminals #4UJAWS/1 For BLUE pre-insulated terminals #5UJAWS/1 For YELLOW pre-insulated terminals #1JAWS/1 For uninsulated lugs and links 1.5 to 6.0mm ² #7JAWS/1 For closed end connectors 0.5 to 6.0mm ² Custom made jaws available on request.




CAT NO.	DESCRIPTION
#16B	Ratchet type tool for uninsulated copper lugs (CG series). The long handles require less crimping effort. RANGE..... 0.5 to 10mm ² CRIMP TYPE Indent LENGTH..... 250mm WEIGHT 700g



CAT NO.	DESCRIPTION
#18	Ratchet type tool for uninsulated copper lugs (CG series). The long handles require less crimping effort. RANGE..... 5 to 16mm ² CRIMP TYPE Indent LENGTH..... 330mm WEIGHT 700g






CAT NO.	DESCRIPTION
#28A	Ratchet type tool for Utilux closed end connectors. RANGE..... 2.5 - 10mm ² CRIMP TYPE Oval LENGTH..... 320mm WEIGHT 600g



CAT NO.	DESCRIPTION
#17	Ratchet type tool for crimping open barrel type terminals RANGE..... 0.7 to 2.1mm ² CRIMP TYPE Roll in LENGTH..... 280mm WEIGHT 600g



CAT NO.	DESCRIPTION
#20	Mechanical crimper for copper lugs and links. Dial adjustable crimp depth with cable size indicator. RANGE..... 16 to 95mm ² CRIMP TYPE Indent, depth adjustable LENGTH..... 560mm WEIGHT 3.2kg



CAT NO.	DESCRIPTION
#21	Hand operated, mechanical lever tool for copper lugs and links. Features built in, selectable crimp die set for a range of lug and link sizes. RANGE..... 6mm ² to 50mm ² CRIMP TYPE Hexagonal LENGTH..... 410mm WEIGHT 1.4kg




CAT NO.	DESCRIPTION
#22	Hand operated, mechanical lever tool for copper lugs and links. Features built in, selectable crimp die set for a range of lug and link sizes. RANGE..... 6mm ² to 120mm ² CRIMP TYPE Hexagonal LENGTH..... 670mm WEIGHT 3.9kg


HEAVY DUTY HAND OPERATED HYDRAULIC CRIMP TOOLS

The precision engineered hydraulic components used in these tools set the standard which others strive to achieve, and the user benefits from faster crimp times, less handle effort, easier maintenance, longer tool life and more dependable results.

The two stage pumping mechanism in selected products means the ram advances quickly up to the connector, then slows as the hydraulic effort is translated into crimping force. Automatic by-pass valves, provide positive feedback to the user when the tool has reached its rated output, and the crimp is complete.




CAT NO.	DESCRIPTION
#111	<p>Compact hydraulic tool featuring 'flip top' head ideal for LVABC work and smaller copper and aluminium connectors. Versatile multi-sized dies means only a few die sets are required to cover a broad range of conductor sizes. (Die sets sold separately).</p> <p>FEATURES..... Automatic by-pass valve, Spring assisted head latch, Trigger operated die retractor, Adjustable ram stroke.</p> <p>RANGE..... 6mm² – 150mm² (LVABC) 6mm² – 120mm² (Cu and Al)</p> <p>OUTPUT..... 5.2 tonne</p> <p>RAM STROKE..... 10 to 15mm</p> <p>DIE SET..... '111' type dies</p> <p>LENGTH..... 370mm</p> <p>WEIGHT..... 2 kg (tool only with die set loaded)</p> <p>PACKAGING..... Metal carry case, with die compartment.</p>




CAT NO.	DESCRIPTION
#38A	<p>Robust and built to last, this hydraulic tool sets the standard for other 12t hydraulic tools. Precision engineered hydraulic components for maximum reliability and ease of use and maintenance. (Die sets sold separately).</p> <p>FEATURES..... Two stage rapid advance pumping action Automatic pressure bypass, Replaceable bypass valve, 180 deg swivel head, Fibreglass handles.</p> <p>RANGE..... Up to 300mm²</p> <p>OUTPUT..... 11.3 tonnes</p> <p>RAM STROKE..... 25mm</p> <p>DIE SET..... '38' type dies</p> <p>LENGTH..... 585mm</p> <p>WEIGHT..... 6.0kg (tool only with die set loaded)</p> <p>PACKAGING..... Heavy duty plastic carry case, with die compartment.</p>

[View Parts List](#)




CAT NO.	DESCRIPTION
#98	<p>Like the #38A this tool is built to last, and features an extra wide 'throat' opening, allowing removal of the tool over cables up to 38mm in overall diameter. Ideal for straight through cable joints. (Die sets sold separately).</p> <p>FEATURES..... Two stage rapid advance pumping action Automatic pressure bypass, Replaceable bypass valve, 180 deg swivel head, Fibreglass handles.</p> <p>RANGE..... Up to 300mm²</p> <p>OUTPUT..... 12 tonnes</p> <p>RAM STROKE..... 38mm</p> <p>DIE SET..... '38' type dies</p> <p>LENGTH..... 640mm</p> <p>WEIGHT..... 7.7kg (tool only with die set loaded)</p> <p>PACKAGING..... Heavy duty plastic carry case, with die compartment.</p>

[View Parts List](#)



CAT NO.	DESCRIPTION
#41A	<p>Complete hydraulic crimping tool kit. Refer individual components for detailed specifications.</p> <p>KIT INCLUDES..... #P80 – 10.000 psi hand operated hydraulic pump #41AH – 12t hydraulic crimp head #HYH2M – 2m hydraulic hose with couplings Timber carry box</p> <p>WEIGHT 29kg (complete) BOX DIM. 740mm(L) x 270mm(W) x 290mm(H)</p>



CAT NO.	DESCRIPTION
#42A	<p>Complete air/hydraulic crimping tool kit. Requires 400-700kPa compressed air supply. Refer individual components for detailed specifications.</p> <p>KIT INCLUDES..... #PA133 – Air operated hydraulic pump #41AH – 12t hydraulic crimp head #HYH2M – 2m hydraulic hose with couplings Timber carry box</p> <p>WEIGHT 24kg (complete) BOX DIM. 740mm(L) x 270mm(W) x 290mm(H)</p>



CAT NO.	DESCRIPTION
#40B	<p>The tool kit for large line and cable work. A complete package of precision engineered components for the most demanding applications. Refer individual components for detailed specifications.</p> <p>KIT INCLUDES..... #40BH – 60 tonne compression head #P80 – 10,000psi hand pump #HYH2M, – 2m hydraulic hose with couplings Aluminium compression head stand Timber carry box</p> <p>WEIGHT 51kg (complete) BOX DIM..... 740mm(L) x 270mm(W) x 290mm(H)</p>

HEAVY DUTY BATTERY OPERATED HYDRAULIC CRIMP TOOLS

The world's first hydraulic crimping tools powered by rechargeable Ni-Cd batteries. These tools minimise the effort required by linesmen and cable jointers to apply crimp connectors, resulting in increased productivity and a reduction in work related strain injuries. Easy and safe to use with no hydraulic hoses or external power supplies required, these tools are ideal for live line glove and barrier work, or where access to the joint is difficult or restricted.



CAT NO.	DESCRIPTION
#111ROBO	<p>Self contained heavy duty tool, requiring no external hoses or attachments. Ideal for LVABC work. (Die sets sold separately).</p> <p>INCLUDES 2 x BP70R batteries 1 x CH3FC battery charger Shoulder strap</p> <p>RANGE 6mm² – 150mm² (LVABC) 6mm² – 120mm² (Cu and A1)</p> <p>FEATURES LED battery charge indicator, 180 deg swivel head, Spring assisted latch type H frame head</p> <p>OUTPUT 5 tonnes</p> <p>RAM STROKE 13mm</p> <p>DIE SET '111' type dies</p> <p>WEIGHT 2.8kg</p> <p>SIZE 309mm(L) x 305mm(H) x 75mm(W)</p> <p>PACKAGING All components packed in plastic carry case</p>



CAT NO.	DESCRIPTION
#UC6ROBO	<p>Dieless multiple indent type tool often used for overhead work. Emulates 'versa crimp' type.</p> <p>INCLUDES 1 x BP70R battery 1 x CH3FC battery charger Shoulder strap</p> <p>RANGE Up to 19/3.75*</p> <p>FEATURES LED battery charge indicator, 180 deg swivel head.</p> <p>OUTPUT 6 tonnes</p> <p>RAM STROKE 29mm</p> <p>DIE SET Dies not required</p> <p>WEIGHT 4.4kg</p> <p>SIZE 360mm(L) x 280mm(H) x 70mm(W)</p> <p>PACKAGING All components packed in plastic carry case</p> <p>*consult for application suitability</p>

[View Parts List](#)



CAT NO.	DESCRIPTION
#38ROBO	<p>Self contained heavy duty tool, requiring no external hoses or attachments. (Die sets sold separately).</p> <p>INCLUDES 2 x BP70R batteries 1 x CH3FC battery charger Shoulder strap</p> <p>RANGE..... Up to 300mm²</p> <p>FEATURES Large handle opening for gloved work, LED battery charge indicator, Rapid ram advance, Rocker switch for ram advance/retract, 350 deg swivel head</p> <p>OUTPUT..... 11.3 tonnes</p> <p>RAM STROKE..... 25mm</p> <p>DIE SET '38' type dies</p> <p>LENGTH..... 435mm(L) x 275mm(H) x 90mm(W)</p> <p>WEIGHT 7.5kg (tool only with die set loaded)</p> <p>PACKAGING Plastic carry case contains all components</p>

[View Parts List](#)


CAT NO.	DESCRIPTION
#98ROBO	<p>Self contained heavy duty tool, requiring no external hoses or attachments. (Die sets sold separately). This tool has the widest jaw opening in its class (42mm) making removal from large cables easy.</p> <p>INCLUDES 2 x BP70R batteries 1 x CH3FC battery charger Shoulder strap</p> <p>FEATURES Extra wide jaw opening (42mm) Rapid ram advance Large handle opening for gloved work, 350 deg swivel head LED battery indicator Rocker switch for ram advance/retract,</p> <p>OUTPUT..... 11.3 tonnes</p> <p>RAM STROKE..... 42mm</p> <p>DIE SET '38' type dies</p> <p>LENGTH..... 480mm</p> <p>WEIGHT 8.5kg (tool only with die set loaded)</p> <p>PACKAGING Plastic carry case contains all components</p>

[View Parts List](#)

ACCESSORIES FOR BATTERY POWERED TOOLS



CAT NO.	DESCRIPTION
BP70E	Rechargeable battery pack for all Utilux battery operated tools. CAPACITY 1.9 ampere hour CHARGE TIME..... 95min with CH3FC & CH-70DC, 25 min with CH35EMC OUTPUT VOLTAGE.. 14.4VDC SIZE..... 100mm(L) x 137mm(H) x 70mm(W) WEIGHT 800g



CAT NO.	DESCRIPTION
BP70EI	Intelligent rechargeable battery pack with LED indicator, for all Utilux battery operated tools. Indicator shows charge and battery life status. CAPACITY 1.9 ampere hour CHARGE TIME..... 1 hr with CH3FC & CH-70DC, 25 min with CH35EMC OUTPUT VOLTAGE.. 14.4VDC SIZE..... 100mm(L) x 137mm(H) x 70mm(W) WEIGHT 820g



CAT NO.	DESCRIPTION
BP250R	Extra heavy duty rechargeable battery pack for all Utilux battery operated tools. Includes waist strap. CAPACITY 4.0 ampere hour CHARGE TIME..... 3 hr with CH3FC, 45 min with CH3FR SIZE..... 228mm(L) x 159mm(H) x 40mm(W) WEIGHT 2.5kg



CAT NO.	DESCRIPTION
CH3FC	Mains powered standard battery charger for all Utilux battery packs. 1hr charge time for BP70R and BP70I battery packs. Includes LED charge indicator. SIZE..... 212mm(L) x 95mm(H) x 105mm(W) WEIGHT 1.9kg



CAT NO.	DESCRIPTION
CH3FR	Mains powered standard battery QUICK charger for all Utilux battery packs. 15mins charge time for BP70R and BP70I battery packs. Includes 4 function LED indicator. SIZE..... 212mm(L) x 95mm(H) x 115mm(W) WEIGHT 770g



CAT NO.	DESCRIPTION
CH-70DC	12V/24V powered battery charger for all Utilux battery packs. 1 hr charge time for BP70R and BP70I battery packs. Includes LED charge indicator, and vehicle cigarette lighter plug. SIZE..... 200mm(L) x 95mm(H) x 115mm(W) WEIGHT 700g

HEAVY DUTY HYDRAULIC CRIMPING HEADS

A versatile alternative to the self contained hand operated crimpers, these hydraulic crimping heads will attach to a range of hand operated or electric pumps. Designed and manufactured to the same exacting standards as the other hydraulic tools in the Utilux range.

All crimp heads are complete with a coupling to suit Utilux hydraulic hoses. Couplings can be changed to suit other equipment on request.



CAT NO.	DESCRIPTION
#111H	<p>Spring assisted latch 'H' frame head ideal for LVABC work. Connects to a range of 10,000 psi pumps. Includes coupling.</p> <p>FEATURES Spring assisted head latch, Adjustable ram stroke, Spring assisted ram retraction</p> <p>RANGE..... 6mm² – 150mm² (LVABC), 6mm² – 120mm² (Cu and Al)</p> <p>INPUT REQUIRED... 10,000 psi, single acting pump</p> <p>OIL VOL. REQ'D 18cc</p> <p>OUTPUT..... 5.2 tonnes</p> <p>RAM STROKE..... 10 to 15mm</p> <p>DIE SET..... '111' type dies</p> <p>LENGTH..... 250mm</p> <p>WEIGHT 1.6kg (tool only with die set loaded)</p> <p>PACKAGING Metal carry case, with die compartment</p>



CAT NO.	DESCRIPTION
#41AH	<p>'C' frame general purpose compression head. Includes coupling.</p> <p>FEATURES Robust construction, Spring assisted ram retraction</p> <p>RANGE..... Up to 300mm²</p> <p>INPUT REQUIRED... 10,000 psi, single acting pump</p> <p>OIL VOL. REQ'D 42cc</p> <p>OUTPUT..... 11.3 tonnes</p> <p>RAM STROKE..... 25mm</p> <p>DIE SET..... '38' type dies</p> <p>LENGTH..... 285mm</p> <p>WEIGHT 3.6kg (tool only with die set loaded)</p> <p>PACKAGING Metal carry case, with die compartment</p>

[View Parts List](#)


8



CAT NO.	DESCRIPTION
#98H	<p>'C' frame extra wide (38mm) compression head. Includes coupling.</p> <p>FEATURES Robust construction, Spring assisted ram retraction</p> <p>RANGE..... Up to 300mm²</p> <p>INPUT REQUIRED... 10,000 psi, single acting pump</p> <p>OIL VOL. REQ'D 72cc</p> <p>OUTPUT..... 12 tonnes</p> <p>RAM STROKE..... 38mm</p> <p>DIE SET..... '38' type dies</p> <p>LENGTH..... 315mm</p> <p>WEIGHT 5.0kg (tool only with die set loaded)</p> <p>PACKAGING Metal carry case, with die compartment</p>

[View Parts List](#)

HEAVY DUTY HYDRAULIC CRIMPING HEADS



CAT NO.	DESCRIPTION
#66H	'U' frame increased capacity compression head. Includes coupling. FEATURES Robust construction, Spring assisted ram retraction, Carry handle RANGE..... Up to 500mm ² INPUT REQUIRED... 10,000psi, single acting pump OUTPUT..... 22 tonnes DIE SET '66' and '38' type dies WEIGHT 7.8kg (tool only with die set loaded)



CAT NO.	DESCRIPTION
#50AH	'U' frame increased capacity compression head for up to 630mm ² connectors. Includes coupling. FEATURES Robust construction, Spring assisted ram retraction, Removable top die for easy application to cable, Light weight, Can use '38' type dies with #50ADH adaptor RANGE..... Up to 630mm ² INPUT REQUIRED... 10,000psi, single acting pump OUTPUT..... 18 tonnes DIE SET '50' type dies, #50ADH '38' die adaptor LENGTH..... 240mm WEIGHT 5.9kg



CAT NO.	DESCRIPTION
#40BH	'U' frame high capacity compression head. Includes coupling and alloy stand. FEATURES Robust construction, Spring assisted ram retraction, Carry handle, Removable die cap RANGE..... Up to 1000mm ² INPUT REQUIRED... 10,000psi, single acting pump OIL VOL. REQ'D 703cc OUTPUT..... 55 tonnes RAM STROKE..... 38.5mm DIE SET '40' type dies, '38' type dies using #40DH die holder SIZE..... 146mm(dia) x 446mm(H), in stand WEIGHT 22kg (tool only with die set loaded) PACKAGING Metal carry case

[View Parts List](#)

HEAVY DUTY HYDRAULIC CRIMPING HEADS



CAT NO.	DESCRIPTION
#67H	<p>'U' frame 100t capacity compression head. Suitable for transmission line work. Includes couplings.</p> <p>FEATURES Robust construction, Carry handle, Removable die cap</p> <p>RANGE..... Consult</p> <p>INPUT REQUIRED ... 10,000psi, double acting pump</p> <p>OIL VOL. REQ'D 314cc</p> <p>OUTPUT..... 100 tonnes</p> <p>RAM STROKE..... 22mm</p> <p>DIE SET Made to order '100' type dies</p> <p>SIZE..... 195mm(dia) x 360mm(H)</p> <p>WEIGHT 32kg</p>

[View Parts List](#)


CAT NO.	DESCRIPTION
#70H	<p>'U' frame 200t capacity compression head. Suitable for transmission line work. Includes couplings.</p> <p>FEATURES Robust construction, Carry handles, Removable die cap</p> <p>RANGE..... Consult</p> <p>INPUT REQUIRED ... 10,000psi, double acting pump</p> <p>OIL VOL. REQ'D 1,134cc</p> <p>OUTPUT..... 200 tonnes</p> <p>RAM STROKE..... 40mm</p> <p>DIE SET Made to order '200' type dies</p> <p>SIZE..... 270mm(dia) x 415mm(H)</p> <p>WEIGHT 84kg</p>

HYDRAULIC PUMPS AND CONTROLLERS

A range of quality hydraulic pumps and controllers to suit Utilux crimping heads and hydraulic hoses. Each pump has been selected to offer the optimum in performance and price for crimping applications. Pumps for special applications or requiring features not listed can be manufactured to order.




CAT NO.	DESCRIPTION
#PA133	<p>Complete air/hydraulic crimping tool kit. Requires 400-700kPa compressed air supply. Refer individual components for detailed specifications.</p> <p>FEATURES Rugged construction Swivel coupling 3 position treadle - advance, hold, release Base mounting slots</p> <p>WEIGHT 5.4kg (complete)</p> <p>SIZE 370mm(L) x 140mm(W) x 145mm(H)</p>



CAT NO.	DESCRIPTION
#P80	<p>Hand operated single acting hydraulic pump. Suitable for use with Model 111H40BH, 41AH Press Head and NO. 66 crimping head.</p> <p>FEATURES 2 speed mechanism for faster pumping, Built in oil pressure relief valve, Large oil capacity, Operating pressure 70,000kPa (10,000psi)</p> <p>OIL CAPACITY 2491cc</p> <p>OIL PORT 3/8" NPTF</p> <p>OUTPUT 10,000psi</p> <p>HANDLE EFFORT 63.5kg (max)</p> <p>SIZE 578mm(L) x 95.3mm(W) x 175mm(H)</p> <p>WEIGHT 12.7kg</p>



CAT NO.	DESCRIPTION
#PUJ1200E	<p>Mains (240V) powered portable single acting hydraulic pump. Suitable for use with a wide range of crimping heads and cylinders requiring 10,000psi supply and large oil volumes.</p> <p>FEATURES Robust construction, 2 stage pump 3m remote hand operated pendant controller</p> <p>OIL CAPACITY 2000cc</p> <p>OIL PORT 3/8" NPTF</p> <p>MOTOR 0.38kW</p> <p>OUTPUT 10,000psi</p> <p>SIZE 240mm(L) x 240mm(W) x 360mm(H)</p> <p>WEIGHT 10kg</p>



CAT NO.	DESCRIPTION
#PGM2304R #PGM2404R	<p>Petrol engine powered 2 stage pump with 3 way, 2 position valve for use with a variety of heads, single or double acting.</p> <p>FEATURES 70,000kPa (10,000psi) oil pressure Positive type rewind starter 2 & 4 litre reservoir Quiet efficient muffler</p> <p>ENGINE..... 1.8kW OUTPUT..... 10,000psi OIL CAPACITY 3800cc SIZE..... 560mm(L) x 440mm(W) x 570mm(H) WEIGHT 25kg</p>




CAT NO.	DESCRIPTION
HYDRAULIC HOSES	<p>Standard Style: Utilux hydraulic hoses are manufactured from 2 brades of high tensile steel reinforced rubber. The rubber is oil and weather resistant. All hoses are fitted with a male quick coupler at one end for connection to the the crimp head, and a 3/8" male NPTF fitting on the other for connection to the pump.</p> <p>DIAMETER 9.5 (nom) inside OPERATING PRESS. 10,000psi BURST PRESSURE . 20,000psi #HYH2M..... 2m long hose #HYH4M..... 4m long hose #HYH6M..... 6m long hose</p> <p>Non Conductive Style: Non conductive sheathed hydraulic hoses are also available for applications requiring electrical isolation of the hose. Orange coloured sheath for easy identification.</p> <p>DIAMETER 6.4 (nom) inside OPERATING PRESS. 10,000psi BURST PRESSURE . 40,000psi LEAKAGE..... Less than 50 micro amps #HYH2MNC 2m long hose #HYH4MNC 4m long hose #HYH6MNC 6m long hose</p>



CAT NO.	DESCRIPTION
HOSE COUPLINGS	<p>All Utilux hydraulic crimp tools (where required) are fitted with a female hydraulic quick coupler, suitable for connection to Utilux hydraulic hoses. All couplings include a plastic dust cap.</p> <p>MALE COUPLING ... #MC38 FEMALE COUPLING #FC38 COUPLING SPECIFICATIONS: THREAD..... 3/8" NPT MAX FLOW 40 litres/min MAX PRESSURE 10,000psi</p>

CABLE CUTTERS

A range of simple but robust cable cutters for a variety of applications.




CAT NO.	DESCRIPTION
#110	<p>Small single hand operated parrot beak style cutter, ideal for general applications. Precision blades make this tool ideal for cutting flexible copper cables.</p> <p>LENGTH 240mm WEIGHT 460g</p>



CAT NO.	DESCRIPTION
#108	<p>Gear driven large capacity ratchet cable cutter, with rapid blade advance. robust forged construction cuts up to 400mm² single core copper cable. Not suitable for steel.</p> <p>FEATURES Rubber handle grips, Single hand operation, Emergency release mechanism, Blade reversing lever</p> <p>LENGTH 260mm WEIGHT 1.1kg</p>

[View Parts List](#)



CAT NO.	DESCRIPTION
#109	<p>Smaller version of #108 cutter, for cables up to 300mm².</p> <p>LENGTH 230mm WEIGHT 520g</p>



CAT NO.	DESCRIPTION
#140	<p>Parrot beak style cable cutter for copper and aluminium conductors up to 240mm². Replacement blades available.</p> <p>LENGTH 610mm WEIGHT 1.8g</p>



CAT NO.	DESCRIPTION
#141	<p>Parrot beak style cable cutter for copper and aluminium conductors up to 500mm². Replacement blades available.</p> <p>LENGTH 805mm WEIGHT 2.8g</p>

BATTERY OPERATED CABLE CUTTERS

A range of simple but robust cable cutters for a variety of applications.



CAT NO.	DESCRIPTION
#REC-50U	<p>Portable gear driven cable cutter ideal for many applications. Specially designed to cut the toughest copper and aluminium cables in a limited amount of space.</p> <p>INCLUDES Cutter unit 1 x BP70R battery unit 1 x CH3FC battery charger</p> <p>FEATURES Eliminates possible RSI, Rocker switch control (fwd and reverse), Cuts clean with minimal distortion, Built in overload protection, Up to 100 cuts from single battery charge</p> <p>RANGE Up to 50mm OD non-ferrous cables</p> <p>SIZE 105mm(L) x 375mm(H) x 115mm(W)</p> <p>WEIGHT 2.0kg</p> <p>PACKAGING Metal carry case</p>

[View Parts List](#)



CAT NO.	DESCRIPTION
#S20AROBO	<p>Battery powered hydraulic cutter (refer #CCS20A for application and cutting range).</p> <p>INCLUDES Cutter unit 1 x BP70R battery unit 1 x CH3FC battery charger, Shoulder strap</p> <p>FEATURES Eliminates possible RSI, Flip top latched head Head rotates through 350 deg, Built in overload protection,</p> <p>RAM STROKE 20mm</p> <p>OUTPUT 6 tonnes</p> <p>SIZE 280mm(L) x 240mm(H) x 75mm(W)</p> <p>WEIGHT 3.2kg</p> <p>PACKAGING Durable plastic carry case</p>



CAT NO.	DESCRIPTION
#S440ROBO	<p>Battery powered hydraulic cutter (design for ACSR Cables.).</p> <p>INCLUDES Cutter unit 1 x BP70EI battery unit 1 x CH35EMC battery charger, Shoulder strap</p> <p>FEATURES Eliminates possible RSI, Flip top latched head Head rotates through 350 deg, Built in overload protection,</p> <p>RAM STROKE 40mm</p> <p>OUTPUT 7 tonnes</p> <p>SIZE 440mm(L) x 260mm(H) x 78mm(W)</p> <p>WEIGHT 6.0kg</p> <p>PACKAGING Durable plastic carry case</p>

HYDRAULIC CABLE CUTTERS

Quality hydraulic cable cutters for the most demanding power cable cutting jobs.

The hydraulic cutters in this range are also suitable for cutting such things as guy wires, steel bar, earth rods and steel reinforced overhead conductor. Consult the application selection chart for details.

Spare and replacement blades are available.

THESE TOOLS ARE NOT SUITABLE FOR CUTTING HIGH TENSILE STEEL OR PIANO WIRE.

SPECIFICATION CHART

Cat No.	Style	Oil Vol Required (cc)	Output (tonnes)	Pumping Stages	Head Rotation (deg)	Length (mm)	Weight (kg)
#CCS20A	Hand Operated	-	4	1	180	390	2.8
#CCSP20A	Head only	18	4	-	-	240	2.1
#CCS32	Hand Operated	-	20	1	180	675	9.3
#CCSP32	Head only	135	20	-	-	300	10.0
#CCS40A	Hand Operated	-	6	2	180	580	5.7
#CCSP40A	Head only	48	8	-	-	340	4.0
#CCS55	Hand Operated	-	12	1	180	610	7.9
#CCSP55	Head only	120	12	-	-	415	9.0
#CCS75	Hand Operated	-	2.5	1	360	645	6.3
#CCS85	Hand Operated	-	3	2	180	690	8.7
#CCSP85	Head Only	65	3	-	-	460	7.2
#CCSP100	Head only	140	7.5	-	-	590	13.2

HYDRAULIC CABLE CUTTERS • APPLICATION SELECTION CHART

Cutting Capacity – Maximum diameter (mm)

NOTE: These tools are not suitable for cutting high tensile steel or piano wire

Cat No.	Cu strands	Al strands	CCP (Telephone) Cable	3/4 Core solid sector aluminium	Wire rope 6 x 7	Wire rope 6 x 12	Wire rope 6 x 19	Soft steel bar	Reinforcing rod	ACSR	Guy wire 1 x 7	Guy wire 1 x 19
#CCS20A	20	20	-	-	16	20	20	16	13	21	15	16
#CCSP20A	20	20	-	-	16	20	20	16	13	21	15	16
#CCS32	32	32	-	30	32	32	32	25	25	32	32	32
#CCSP32	32	32	-	30	32	32	32	25	25	32	32	32
#CCS40A	41	41	-	35	22	25	25	20	16	38	15	20
#CCSP40A	41	41	-	35	22	25	25	20	16	38	15	20
#CCS55	55	55	-	50	25	30	30	22	19	50	15	20
#CCSP55	55	55	-	50	25	30	30	22	19	50	15	20
#CCS75	23	29	75	-	-	-	-	-	-	-	-	-
#CCS85	28	38	85	-	-	-	-	-	-	-	-	-
#CCSP85	28	38	85	-	-	-	-	-	-	-	-	-
#CCSP100	42	46	100	-	-	-	-	-	-	-	-	-

[View Parts List](#)


#CCS20A



#CCSP20A




#CCS32



#CCSP32

[View Parts List](#)


#CCS40A



#CCSP40A




#CCS55



#CCSP55

[View Parts List](#)


#CCS75



#CCSP100

[View Parts List](#)


#CCS85



#CCSP85

DATA PRODUCTS TOOLS

Quality range of tools with the precision, and repeatability demanded by the application of Data Connectors.



CAT NO.	DESCRIPTION
#81	Professional 3 in 1 modular tool. Three individual dies allow termination of 4, 6 and 8 position modular plugs. Handle incorporates cutter and stripper. FEATURES Ratchet operation Equal distribution of pressure to all contacts APPLICATION 4P / 6P / 8P LENGTH 210mm WEIGHT 530g




CAT NO.	DESCRIPTION
#142	MRC hand tool, Specifically designed to crimp Utilux moisture resistant connectors. FEATURES TELSTRA APPROVED (approval No. #S114/165) LENGTH 180mm WEIGHT 230g



CAT NO.	DESCRIPTION
#88	Professional 3 in 1 modular tool kit comprising: Foam lined carry case #81 modular tool 20pcs 8P8C type modular plug 30pcs 6P6C type modular plug 40pcs 4P4C type modular plug SIZE 265mm(L) x 235mm(W) x 50mm(H) WEIGHT 960g

CABLE STRIPPERS

Safe and easy to use, this innovative range of tools is the ideal solution to a variety of cable stripping applications.



CAT NO.	DESCRIPTION
#89	<p>This easy to use handtool has been developed for stripping insulation from electrical cable. Benefits include alloy steel jaws for stripping wire from 10-26 AWG. Crimps terminals neat and tight. Specially designed light pressure handles. Wire cutter incorporated.</p> <p>RANGE..... 0.13-6mm² LENGTH..... 210mm WEIGHT 300g</p>




CAT NO.	DESCRIPTION
#153	<p>Self adjusting strip and cut tool, with sophisticated 'closed loop' cam mechanism which reduces hand effort and minimises operator fatigue.</p> <p>FEATURES..... Laminated stripping blade avoids damage to fine conductors, Direct driven cutter for powerful but controlled cutting, Fully automatic, no adjustments required for different cable sizes, Repeatable strip lengths, No exposed cutting blades, Smooth profile handles</p> <p>RANGE..... 0.08 to 6.0mm² (stripping) 6.0mm² (max) stranded, 4.0mm² (max) solid SIZE..... 205mm(L) x 19mm(W) x 105mm(H) WEIGHT 200g</p>



CAT NO.	DESCRIPTION
#151	<p>Self adjusting wire stripper and cutter specially designed for flexible cables.</p> <p>FEATURES..... Compact design, pocket sized, Unique design ensures no damage to conductors, Precise rotary action, Integral guillotine wire cutter Safe, no exposed blades, Strips inner & outer insulation</p> <p>RANGE..... Up to 9mm dia cables (stripping) Flexible cables up to 1.5mm² (cutting) SIZE 90mm(L) x 18mm(W) x 38mm(H) WEIGHT 35g</p>



CAT NO.	DESCRIPTION
#154	<p>Rotary action power cable stripper for all insulation types (PVC, PE, rubber etc). Two sizes available, 29mm and 40mm.</p> <p>FEATURES..... Triple Action Strip, Easy to achieve 'window' strips, Unique blade profile for difficult insulation such as rubber, Replaceable blades</p> <p>RANGE..... - 4.5mm - 19 to 40mm diameter LENGTH..... - 138mm, 153mm (max) WEIGHT - 100g</p>



**TRIPLE ACTION
SPIRAL CUT**

CRIMPING DIES

Utilux crimping dies for aluminium and copper connectors are precision engineered from EN26 high tensile steel, oil hardened to 50-52 Rockwell C, ensuring long life and minimal die wear. Each hexagon die set is engraved with "Utilux" on one of the die faces, and the die part number on the other, leaving an indent on the crimp for easy inspection and verification.


THE RANGE OF DIES INCLUDES:

- Hexagonal die sets for precision crimping of copper and aluminium connectors
 - Nest and indent die sets for special aluminium applications
 - Special 'steel' dies for crimping steel sleeves

The selection of the die type required depends on the connector to be crimped, and the tool to be used.
Special size dies made to order.

'38' SERIES DIE SETS

Suitable for all '12 tonne' hydraulic crimp tools in the Utilux range, as well as the #66H tool.



'40' SERIES DIE SETS

Suitable for the #40B tool, the #40BH tool and their variants.



'50' SERIES DIE SETS

Suitable for the #50AH tool only



'66' SERIES DIE SETS

Suitable for the #66H tool only



'111' SERIES DIE SETS

Suitable for the #111, #111H and #111ROBO tools



'67' AND '70' SERIES DIE SETS

Specially manufactured to order for the #67H and #70H compression heads

DIE HOLDERS

Special die holders are available that allow the use of '38' series dies in the #40B and #50A tools.

#40DH for use the #40B and #40BH tools

#50ADH for use the the #50AH tool



12 TONNE DIES

HEXAGONAL CRIMP DIES – Copper



COPPER CONDUCTOR SIZE (mm ²)	PRECISION	BUDGET	COPPER DIE A/F (mm)
6	38-44CU	CDC6	4.4
10	38-57CU	CDC10	5.7
16	38-63CU	CDC16	6.3
20	38-70CU	CDC20	7.0
25	38-77CU	CDC25	7.7
35	38-92CU	CDC35	9.2
50	38-104CU	CDC50	10.4
70	38-115CU	CDC70	11.5
95	38-142CU	CDC95	14.2
120	38-165CU	CDC120	16.5
150	38-183CU	CDC150	18.3
185	38-200CU	CDC185	20.0
240	38-231CU	CDC240	23.1
300	38-260CU	CDC300	26.0

HEXAGONAL CRIMP DIES – Aluminium



ALUMINIUM CONDUCTOR SIZE (mm ²)	PRECISION	BUDGET	ALUMINIUM DIE A/F (mm)
6 - 35	38-90AL	CDA6/35	9.0
50 - 70	38-132AL	CDA50/70	13.2
95 - 120	38-173AL	CDA95/120	17.3
150 - 185	38-220AL	CDA150/185	22.0
240 - 300	38-284AL	CDA240/300	28.4

INDENT CRIMP DIES – Sector Aluminium



ALUMINIUM CONDUCTOR SIZE (mm ²)	3 CORE		4 CORE	
	NEST DIE	INDENTOR	NEST DIE	INDENTOR
70	#12NEST	#14INDENT	#14NEST	#14INDENT
95	#12NEST	#15INDENT	#14NEST	#15INDENT
120	#12NEST	#16INDENT	#14NEST	#16INDENT
150	#12NEST	#17INDENT	#15NEST	#17INDENT
185	#12NEST	#18INDENT	#15NEST	#18INDENT
240	#12NEST	#19INDENT	#15NEST	#19INDENT
300	#12NEST	#20INDENT	#15NEST	#20INDENT

12 TONNE DIES

HEXAGONAL CRIMP DIES – Half Hex (for flexible cables)



MULTI STRANDED CABLE (mm ²)	DIE SET	HEX DIE	FLAT DIE
16	38-98HHEX17	38-98CU	38-FLAT17
25	38-122HHEX17	38-122CU	38-FLAT17
35	38-130HHEX17	38-130CU	38-FLAT17
50	38-153HHEX17	38-153CU	38-FLAT17
70	38-183HHEX14	38-183CU	38-FLAT14
95	38-220HHEX14	38-220CU	38-FLAT14
120	38-245HHEX14	38-245CU	38-FLAT14

Note: Flat dies are available individually

HEXAGONAL CRIMP DIES – C Connectors

CABLE RANGE (mm ²)	DIE SET	CABLES RANGE (mm ²)	DIE SET
14 - 20	38-T020	99 - 122	38-T122
21 - 26	38-T026	123 - 154	38-T154
27 - 44	38-T044	155 - 190	38-T190
45 - 60	38-T060	191 - 240	38-T240
61 - 76	38-T076	241 - 288	38-T288
77 - 98	38-T098	289 - 365	38-T365

HEXAGONAL CRIMP DIES – Steel cores of ACSR Conductor



DIE SET	DIE A/F (mm)	DIE SET	DIE A/F (mm)
38-74ST13	7.4	38-95ST	9.5
38-76ST	7.6	38-95ST13	9.5
38-80ST	8.0	38-130ST7	13.0

HEXAGONAL CRIMP DIES – Insulated ABC Connectors



ABC CABLE	DIE SET	DIE A/F (mm)
6 - 35	38-140AL9	9.5
25 - 95	38-173AL9	17.3
95 - 150	38-215AL9	21.5

DIES FOR 5 TONNE TOOL



CONDUCTOR	SIZE (mm ²)	HEX DIE	A/F (mm ²)
Copper	10	111-5763CU	5.7
	16		6.3
	25		7.7
	35	111-7792CU	9.2
	50		10.4
	70	111-	11.5
	95	111-	14.2
	120		16.5
Aluminium	6, 10, 16, 25, 35	111-ALSPEC	9.0
	50, 70		13.2
	95, 120		17.3
ABC	MFPB Sleeves	111-	14.0
	25 - 95		17.3
	95 - 150	111-215AL	21.5

DIES FOR 18 TONNE TOOL



CONDUCTOR	SIZE (mm ²)	HEX DIE	A/F (mm ²)
Copper	400	50A-281CU	28
	500	50A-310CU	31
	630	50A-370CU	37
Aluminium	400	50A-390AL	39
	500		

DIES FOR 60 TONNE TOOL



CONDUCTOR	SIZE (mm ²)	HEX DIE	A/F (mm ²)
Copper	70	40-130CU	13.0
	95	40-142CU	14.2
	120	40-165CU	16.5
	150	40-185CU	18.5
	185	40-200CU	20.0
	240	40-231CU	23.1
	300	40-260CU	26.0
	400	40-281CU	28.1
	500	40-310CU	31.0
	630	40-370CU	37.0
	800	40-432CU	43.2
	1000	40-480CU	48.0
Aluminium	95, 120	40-172AL	17.2
	150, 185	40-220AL	22.0
	240, 300	40-283AL	28.3
	400, 500	40-390AL	39.0
	630	40-432AL	43.2

DIES FOR 60 TONNE TOOL

HEXAGONAL CRIMP DIES – Steel Cores of ACSR Conductor

DIE SET	DIE A/F (mm)	DIE SET	DIE A/F (mm)
40-068ST	6.8	40-170ST	17.0
40-95ST	9.5	40-190ST	19.0
40-95ST19	9.5	40-200ST19	20.0
40-140ST19	14.0	40-250ST	25.0
40-160ST	16.0	40-260ST	26.0

#TY SERIES CRIMPING TOOL

LENGTH 381mm • WEIGHT 1.16kg

Available in various crimp groove size combinations. The complete range is adjustable and robust.
All models are supplied complete with adjusting key and Go-No Go gauge to ensure a perfect crimp every time.



CAT NO.	CRIMP GROOVE SIZES mm
#TY476556	4.76 and 5.56
#TY476635	4.76 and 6.35
#TY556635	5.56 and 6.35
#TY635794	6.35 and 7.94
#TY556794	5.56 and 7.94

#TR SERIES CRIMPING TOOL

LENGTH 534mm • WEIGHT 2.7kg

This Crimping Tool is available in various crimp groove size combinations. The complete range is adjustable and robust.
All models are supplied complete with adjusting key and Go-No Go gauge to ensure a perfect crimp every time.



CAT NO.	CRIMP GROOVE SIZES mm
#TR9521270	9.52 and 12.70
#TR794952	7.94 and 9.52
#TR1588	15.88 (single groove)